

Eliminating the Medicaid Exclusion for Transition-Related Care in NYS: Good Public Health, the Right Thing to Do and Ultimately a Cost-Saving Measure.

Medicaid provides crucially needed care to low-income people across the country. However, in New York State, transgender people cannot get the care they need through Medicaid: it is specifically excluded under N.Y. Comp. Codes R. & Regs. tit. 18, § 505.2(l). Changing this regulation would be a crucial step forward for the health and lives of transgender people.

Transition-related care is medically necessary care for transgender people.

- Gender Identity Disorder is a serious medical condition marked by an individual's clinically significant distress or impairment due to strong and persistent discomfort with the sex assigned at birth. It is commonly treated through sex reassignment treatment, which consists of hormone therapy, sex reassignment surgery, and other necessary surgeries.ⁱ
- Over forty years of medical experience and extensive research have established clear and safe protocols for sex reassignment treatment, published by the Endocrine Societyⁱⁱ and the World Professional Association for Transgender Health.ⁱⁱⁱ
- Both the American Medical Association^{iv} and the American Psychiatric Association^v have adopted statements supporting access to mental, hormonal and surgical treatment for transgender people and in favor of removing financial barriers to care.

Adding trans-specific coverage to health insurance plans is affordable.

- Since prevalence of Gender Identity Disorder is very low, very few people are in need of this coverage; the American Psychiatric Association estimates that 1 in 30,000 natal males and 1 in 100,000 natal females are transgender^{vi}.
- In 2001, the City of San Francisco began covering transition-related care for its employees. While premiums were initially increased by \$1.70 per beneficiary per month to cover these services, the premium increase was first lowered and then dropped entirely, after cost data demonstrated that over 15 times more funds were collected than were disbursed in claims and that adding this benefit did not appreciably increase overall costs.^{vii}
- A preliminary estimate by the New York State Department of Health in 2010 approximated that it would cost about 1.7 million to cover gender-confirming care through Medicaid^{viii}. As the state Medicaid budget totals 52 billion, this represents only .0033% of the total budget.
- Human Rights Campaign has documented notable increases in the numbers of private employers deciding it is cost effective to offer benefits; as of 2011, 25% of the Fortune 100 and 8% of the Fortune 500 cover transition-related care, as opposed to 1% and 0% in 2004.^{ix}

When trans people have access to transition-related care, their overall health and well-being improve.

- **Overall mental health improves; rates of depression and anxiety drop.** A meta-analysis looking at 28 studies showed that 78% of trans people treated for GID had improved psychological functioning after treatment.^x In two other recent studies, trans men who had ever received testosterone had significantly higher mental health than those who had not^{xi}, and trans women who had had any relevant surgeries had mental health scores comparable to women in general, while those who were not able to access care scored much lower on mental health measures^{xii}. In another study, participants improved on 13 out of 14 mental health measures after being treated for GID.^{xiii}
- **Suicide rates drop drastically:** In several studies that examined suicide attempts and ideation among trans people, rates dropped from a range of 29% to 19% before sex reassignment treatment to 6% to .8% after treatment.^{xiv}
- **Substance use decreases:** In one study, rates of smoking were 32% among trans women seeing a provider for hormonal treatment, as opposed to 87% among those who were not^{xv}. Participants in another study described how substance use was a coping mechanism for their gender dysphoria before they had access to treatment^{xvi}, and in a third study, overall substance use decreased after gender reassignment treatment.^{xvii}
- **HIV-positive people show better compliance with care:** Both data from the Callen-Lorde Community Health Center and the New York Hospital/Center for Special Studies^{xviii} show high rates of adherence to HIV care for trans people when combined with hormonal treatment. Recent Callen-Lorde adherence rates are over 90%^{xix}, as compared with two recent studies of HIV-positive trans people that found rates to be approximately 50%.^{xx} Since transgender people have disproportionately high rates of HIV -- studies of trans women have found HIV prevalence rates of 32% in a New York sample^{xxi}, 27% in San Francisco study^{xxii}, and 28% in a meta-analysis looking at several studies^{xxiii}, as compared to a general population rate of .6%^{xxiv} -- this is particularly relevant. When compliant with care, HIV-positive people stay healthier longer and are far less likely to transmit the virus to others.

Negative consequences of self-medication are lessened or eliminated:

- **Self-Administered Hormone Injections:** Trans people who do not have access to a medical provider often buy hormones on the street and take them without medical monitoring, which can have negative consequences, including serious liver problems and blood clots that can lead to stroke. According to a recent needs assessment done by the NYC Department of Health, 72% of respondents had taken hormones not under medical supervision^{xxv}; in other samples, prevalence of self-dosing was 62%^{xxvi} in San Francisco, 63% in Philadelphia^{xxvii} and 71% in a sample of youth in Chicago^{xxviii}. In addition, the possibility of needle-sharing for hormone injection risks HIV and hepatitis transmission.^{xxix}
- **Silicone Injections:** When they do not have access to hormones, some trans women also inject silicone to alter body shape. Prevalence of ever having injected silicone ranges from 25% from a Washington DC needs assessment^{xxx}, 30% in Chicago^{xxxi}, and 33% in a Los Angeles needs assessment.^{xxxii} Silicone injection can result in severe disfiguring and even deadly complications such as pulmonary emboli, silicone pneumonitis, acute respiratory distress syndrome, abscesses, liver disease, septic shock, and puncture of internal organs.^{xxxiii}

Ultimately, improving trans people’s health saves Medicaid money, because healthier patients are less expensive patients. Thus, providing trans care could:

- **Cut increased Medicaid costs for mental health:** In New York, the mean Medicaid cost for those being treated for mental health conditions was \$28,451, compared to \$15,964 for non-mental health beneficiaries. Increased costs were not only due to mental health treatment; among people needing mental health treatment, spending for physical health conditions also increased by 32%.^{xxxiv}
- **Decrease costly treatment for suicide attempts:** the CDC estimates that the average medical cost for a suicide attempt in the United States is \$7,234^{xxxv}, for acute care and hospital costs only.
- **Cut increased Medicaid costs for substance use:** The mean Medicaid cost for those being treated for substance abuse was \$27,839, compared to \$18,051 for those who were not. Increased costs were not only due to substance abuse treatment; spending for physical health conditions for those who were substance users also increased by 17%.^{xxxvi}
- **Lower rates of other diseases, as substance use drops:** Increased smoking and drug and alcohol use correlates with increased rates of lung cancer, heart disease, stroke, and liver disease^{xxxvii}; all of which are complicated, expensive conditions for which Medicaid covers treatment. As substance use decreases, patients become healthier overall.
- **Transgender people have higher rates of employment after transition.** As trans people are able to live and be perceived as their self-identified gender and access appropriate identity documents, they are more likely to have steady employment and move off of Medicaid entirely.^{xxxviii}

Transgender people, like all people, are healthier when they can get the medical care they need. Healthier people use less Medicaid dollars. Eliminating the Medicaid exclusion on transgender care would make New York a leader in promoting access to necessary medical care for everyone and would be cost-effective policy for the Medicaid budget.

-
- ⁱ American Psychiatric Association. (1994). *Diagnostic and statistical manual of mental disorders*, Revised 4th ed. Washington, DC: Author; and *International Statistical Classification of Diseases and Related Health Problems*, Tenth Revision 2007, World Health Organization.
- ⁱⁱⁱ *Endocrine Treatment of Transsexual Persons*, (2009.) Current Clinical Practice Guidelines. Endocrine Society, available at <http://www.endo-society.org/guidelines/Current-Clinical-Practice-Guidelines.cfm>
- ⁱⁱⁱ *World Professional Association for Transgender Health's Standards of Care for Gender Identity Disorder*, 6th version, 2001. Available at http://www.wpath.org/publications_standards.cfm
- ^{iv} Resolution 122: Removing Financial Barriers to Care for Transgender Patients (2008.) Annual Meeting of the House of Delegates of the American Medical Association, available at www.ama-assn.org/ama1/pub/upload/mm/471/122.doc.
- ^v APA Policy Statement: Transgender, Gender Identity, & Gender Expression Non-Discrimination, (2008.) Adopted by the American Psychological Association Council of Representatives August 2008, available at <http://www.apa.org/about/governance/council/policy/transgender.aspx>.
- ^{vi} American Psychiatric Association. (1994). *Diagnostic and statistical manual of mental disorders* (Revised 4th ed). Washington, DC: Author.
- ^{vii} Human Rights Commission, City and County of San Francisco (2007). San Francisco City and County Transgender Health Benefit. Public release August 2007.
- ^{viii} Office of Health Insurance Programs, New York State Department of Health, 2010, cited in Transgender Medicaid Project Final Report, 3/11/2011, Empire Justice, The Sylvia Rivera Law Project, and The Legal Aid Society.
- ^{ix} Human Rights Campaign, Transgender-inclusive benefits for Employees and Dependents, available at http://www.hrc.org/issues/workplace/benefits/transgender_inclusive_benefits.htm, accessed 7/20/2011.
- ^x Murad et al (2010). Hormonal Therapy and Sex Reassignment: A Systematic Review and Meta-Analysis of Quality of Life and Psychosocial Outcomes. *Clinical Endocrinology*, 72, 214-231.
- ^{xi} Newfield, E. (2006). Female-to-male transgender quality of life, *Quality of Life Research* 15(9):1447-57.
- ^{xii} Ainsworth, T; Spiegel, J. (2010). Quality of life of individuals with and without facial feminization surgery or gender reassignment surgery. *Quality of Life Research*, 19:1019–1024.
- ^{xiii} Smith Y, Van Goozen S, Kuiper A and Cohen-Kettenis P. (2005.) Sex Reassignment: Outcomes and Predictors of Treatment for Adult and Adolescent Transsexuals. *Psychological Medicine*, 35, 89-99.
- ^{xiv} Murad et al (2010.) Hormonal Therapy and Sex Reassignment: A Systematic Review and Meta-Analysis of Quality of Life and Psychosocial Outcomes. *Clinical Endocrinology*, 72, 214-231; Cole C.M., O'Boyle M., Emory L.E., Meyer W.J. 3rd. (1997). Comorbidity of Gender Dysphoria and Other Major Psychiatric Diagnoses, *Archives of Sexual Behavior*, 26, 13-19; Pfafflin F, Junge A. "Sex Reassignment: 30 Years of International Follow-Up Studies after SRS: A Comprehensive Review, 1961- 1991." Symposium Publishing, Dusseldorf, 1998; Kuiper, M and Cohen-Kettenis P, (1988.) Sex Reassignment Surgery: A Study of 141 Dutch Transsexuals. *Archives of Sexual Behavior*, 5, 439-457.) De Cuyper et al (2006.) Long-Term Psychosocial Adjustment of Belgian Transsexuals after Sexual Reassignment Surgery, *Sexualities*, 15, 126- 133.
- ^{xv} Sanchez, N; Sanchez, J; Danoff, A. (2009). Health Care Utilization, Barriers to Care, and Hormone Usage Among Male-to-Female Transgender Persons in New York City, *American Journal of Public Health*. Vol 99: 713–719.
- ^{xvi} Cole, C et al (199.) Co-morbidity of Gender Dysphoria and Other Major Psychiatric Diagnoses, 26(1) *Archives of Sexual Behavior* 13, 19.
- ^{xvii} Rehman, J et al., (1999). The Reported Sex and Surgery Satisfaction of 28 Postoperative Male-to-Female Transsexual Patients, 28 *Archives of Sexual Behavior*, 71.
- ^{xviii} Grimaldi J; Jacobs J. (1998.) "The HIV/Hormone Bridge, *Int Conf AIDS*; 12: 981, abstract no. 571/44225.
- ^{xix} Data from Callen-Lorde Community Health Center, Department of Research and Education, 2011.
- ^{xx} Sevelius J.; Carrico A. (2010). Antiretroviral therapy adherence among Transgender Women Living with HIV, *Journal of the Association of Nurses in AIDS Care*, 2010 May-Jun;21(3):256-64.; Melendez, R.; Exner, T. (2006)., Health and Health Care among MTF Transgender persons who are HIV Positive, *American Journal of Public Health*. Jun; 96(6):1034-7.
- ^{xxi} Kibrak, Paul. (2009). *Transgender Women and HIV Prevention in NYC: A Needs Assessment*. NYC Dept of Health and Mental Hygiene, Bureau of HIV/AIDS, Office of Risk Reduction in Vulnerable Populations.
- ^{xxii} Clements-Nolle K, Marx R, Guzman R, Katz M. (2001). HIV prevalence, risk behaviors, health care use, and mental health status of transgender persons: implications for public health intervention. *American Journal of Public Health*;91: 915–921.
- ^{xxiii} Operario D., Nemoto T. (2010). HIV in Transgender Communities: Syndemic Dynamics and a Need for Multicomponent Interventions, *Journal of Acquired Immune Deficiency Syndrome*, 2010;55:S91–S93) Volume 55, Supplement 2.
- ^{xxiv} United Nations Programme on HIV/AIDS (UNAIDS) and World Health Organization (WHO), 2007 AIDS Epidemic Update (2007): http://data.unaids.org/pub/EPISlides/2007/2007_epiupdate_en.
- ^{xxv} Kibrak, Paul. (2009). *Transgender Women and HIV Prevention in NYC: A Needs Assessment*. NYC Dept of Health and Mental Hygiene, Bureau of HIV/AIDS, Office of Risk Reduction in Vulnerable Populations.
- ^{xxvi} Nemoto, T et al. (2006). Need for HIV/AIDS Education and Intervention for MTF Transgenders: Responding to the Challenge. *Journal of Homosexuality*. Vol. 51, No. 1, 2006, pp. 183-202.
- ^{xxvii} Kenagy, G. (2005). Transgender Health: Findings from Two Needs Assessment Studies in Philadelphia, *Journal of Health and Social Work*. Volume 30, Issue 1.

-
- ^{xxviii} Garofalo, R., Deleon, J. et al. (2006). Overlooked, misunderstood and at-risk: Exploring the lives and HIV risk of ethnic minority male-to-female transgender youth. *Journal of Adolescent Health, vol 38*.
- ^{xxix} Sanchez, N; Sanchez, J; Danoff, A. (2009). Health Care Utilization, Barriers to Care, and Hormone Usage Among Male-to-Female Transgender Persons in New York City, *American Journal of Public Health. Vol 99:713–719*.
- ^{xxx} Xavier, Jessica M. (2000.) *The Washington Transgender Needs Assessment Survey*, Us Helping Us & The Administration for HIV and AIDS of the District of Columbia Government.
- ^{xxxi} Kenagy G & Bostwick W. (2001). *Health and social service needs of transgendered people in Chicago*. Chicago: Jane Addams College of Social Work, University of Illinois at Chicago.
- ^{xxxii} Reback, Cathy; Simon, Paul; Bemis, Kathleen; Gatson, Bobby. (2001). *Los Angeles Transgender Health Study: Community Report*.
- ^{xxxiii} Komenaka, Ian. (2004). Free silicone injection causing polyarthropathy and septic shock, *10(2) The Breast Journal at 160*; Fox, Lindy et al (2004). Mycobacterium abscessus cellulitis and multifocal abscesses of the breasts in a transsexual from illicit intramammary injections of silicone, *Journal of the American Academy of Dermatology, 50 at 450*; Hage, J.J. et al .(2001). The devastating Outcome of Massive Subcutaneous Injection of Highly Viscous Fluids In Male to Female Transsexuals, *107(3)Plastic and Reconstructive Surgery 734*.
- ^{xxxiv} Patchias, E; Birnbaum, M. (2011). *Providing Care to Medicaid Beneficiaries with Behavioral Health Conditions: Challenges for New York*, Medicaid Institute of the United Hospital Fund in New York City.
- ^{xxxv} The Medical Costs and Productivity Loss due to Interpersonal and Self-Directed Violence, Center for Disease Control, http://www.cdc.gov/ncipc/factsheets/images/Medical_Costs.pdf; Original source for the CDC's estimate was Corso PS, Mercy JA, Simon TR, Finkelstein EA, & Miller TR. Medical Costs and Productivity Losses Due to Interpersonal Violence and Self- Directed Violence. *American Journal of Preventive Medicine, 2007: 32(6): 474-482*.
- ^{xxxvi} Patchias, E; Birnbaum, M. (2011). *Providing Care to Medicaid Beneficiaries with Behavioral Health Conditions: Challenges for New York*, Medicaid Institute of the United Hospital Fund in New York City.
- ^{xxxvii} CDC Fact Sheets, Health Effects of Cigarette Smoking, http://www.cdc.gov/tobacco/data_statistics/fact_sheets/health_effects/effects_cig_smoking/; "Alcohol Use and Health " <http://www.cdc.gov/alcohol/fact-sheets/alcohol-use.htm>, both accessed 7/20/2011.
- ^{xxxviii} Grant, J, Mottat, L, Tannis, J. (2010). *Injustice at Every Turn: A Report of the National Transgender Discrimination Survey*. National Center for Transgender Equality and National Gay and Lesbian Task Force; Murad et al (2010). Hormonal Therapy and Sex Reassignment: A Systematic Review and Meta-Analysis of Quality of Life and Psychosocial Outcomes. *Clinical Endocrinology, 72, 214-231*; Rakic, Z et al (1996). The Outcome of Sex Reassignment Surgery in Belgrade: 32 Patients of Both Sexes, *Archives of Sexual Behavior, 25:515*.